

## N-HEPTANE 99% FOR SYNTHESIS MSDS

CAS-No.: 142-82-5 MSDS

## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

CAS-No. : 142-82-5 Product code : 00158

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Dongying Liangxin Petrochemical Technology Development Company Limited

No. 117, Guangqing Rd., Guangrao County, Donying, Shandong, China

Tel: +86 178 1030 0898

info@junyuanpetroleumgroup.com - www.junyuanpetroleumgroup.com

### 1.4. Emergency telephone number

Emergency number : +86 178 1030 0898 (9:00am - 6:00 pm)

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225

Category 2

Skin corrosion/irritation, H315

Category 2

Specific target organ H336

toxicity — Single

exposure, Category 3,

Narcosis

Aspiration hazard, H304

Category 1

Hazardous to the aquatic H410

environment — Chronic Hazard, Category 1

Full text of H statements : see section 16

Safety Data Sheet

## Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11 Xn; R65 Xi; R38 N; R50/53 R67

Full text of R-phrases: see section 16

## Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS02

GHS07

GHS08

GHS09

Signal word (CLP)

Hazard statements (CLP)

: Danger

: H225 - Highly flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H336 - May cause drowsiness or dizziness.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 - Avoid release to the environment.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor

P331 - Do NOT induce vomiting.

P501 - Dispose of contents/container to hazardous or special waste collection point,

in accordance with local, regional, national and/or international regulation

## 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Name : n-HEPTANE 99% FOR SYNTHESIS

CAS-No. : 142-82-5

Full text of R- and H-statements: see section 16

### 3.2. Mixtures

Not applicable

Safety Data Sheet

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing

respiratory symptoms: Call a poison center or a doctor.

First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after ingestion : May be fatal if swallowed and enters airways.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open

flames. No smoking.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : Avoid breathing dust/fume/gas/mist/vapours/spray.

## 6.2. Environmental precautions

Very toxic to aquatic life with long lasting effects.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean contaminated surfaces with an excess of water.

### 6.4. Reference to other sections

No additional information available

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : No open flames. No smoking. Use only non-sparking tools. Avoid breathing

dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.

Hygiene measures : Wash hands, forearms and face thoroughly after handling.

www.junyuanpetroleumgroup.com 01/02/2017 3/11

## Safety Data Sheet

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep in fireproof place. Keep container tightly closed.

Incompatible materials : Heat sources.

## 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Approved supplied air respirator

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 100.21 g/mol Colour : Clear Colorless.

Odour : mild odor - gasoline-like.

Odour threshold : No data available
pH : No data available

Relative evaporation rate (butylacetate=1) : 2.8

Melting point : -91 °C

Freezing point : No data available

Boiling point : 98 °C

Flash point : -4 °C

Auto-ignition temperature : 223 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable

Highly flammable liquid and vapour.

Vapour pressure : 53.3 hPa at 20,0 °C

Relative vapour density at 20 °C : 3.5

Relative density : No data available

## Safety Data Sheet

Density : 0.68 g/cm<sup>3</sup>

Solubility : Water: Insoluble in water

Log Pow : > 3

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.011 - 0.07 vol %

### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Open flame. Direct sunlight. Heat.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

May release flammable gases.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

www.junyuanpetroleumgroup.com 01/02/2017 5/11

Safety Data Sheet

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

## 12.2. Persistence and degradability

### n-HEPTANE 99% FOR SYNTHESIS (142-82-5)

Persistence and degradability May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative potential

n-HEPTANE 99%	FOR SYNTHESIS	(142-82-5)

Log Pow > 3

### 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

Additional information

: Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : H

: Hazardous waste due to toxicity.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

## 14.1. UN number

 UN-No. (ADR)
 : 1206

 UN-No. (IMDG)
 : 1206

 UN-No. (IATA)
 : 1206

 UN-No. (ADN)
 : 1206

 UN-No. (RID)
 : 1206

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : HEPTANES
Proper Shipping Name (IMDG) : HEPTANES
Proper Shipping Name (IATA) : Heptanes

www.junyuanpetroleumgroup.com 01/02/2017 6/11

## Safety Data Sheet

Proper Shipping Name (ADN) : HEPTANES
Proper Shipping Name (RID) : HEPTANES

Transport document description (ADR) : UN 1206 HEPTANES, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS Transport document description (IMDG) : UN 1206 HEPTANES, 3, II, MARINE POLLUTANT/ENVIRONMENTALLY

**HAZARDOUS** 

Transport document description (IATA) : UN 1206 Heptanes, 3, II, ENVIRONMENTALLY HAZARDOUS Transport document description (ADN) : UN 1206 HEPTANES, 3, II, ENVIRONMENTALLY HAZARDOUS Transport document description (RID) : UN 1206 HEPTANES, 3, II, ENVIRONMENTALLY HAZARDOUS

## 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



### **IMDG**

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



### **IATA**

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3



#### ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



## RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3

www.junyuanpetroleumgroup.com 01/02/2017 7/11

## Safety Data Sheet



#### 14.4. **Packing group**

Packing group (ADR) : II : II Packing group (IMDG) Packing group (IATA) : II Packing group (ADN) : 11 Packing group (RID) : II

#### 14.5. **Environmental hazards**

Dangerous for the environment : Yes Marine pollutant : Yes

Other information : No supplementary information available

#### 14.6. Special precautions for user

### - Overland transport

Classification code (ADR) : F1 Limited quantities (ADR) : 11 Excepted quantities (ADR) : E2

: P001, IBC02, R001 Packing instructions (ADR)

Mixed packing provisions (ADR) : MP19 : T4 Portable tank and bulk container

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP1

Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 2 Special provisions for carriage - Operation : S2, S20

(ADR)

Hazard identification number (Kemler No.) : 33

Orange plates

**33** 1206

: D/E Tunnel restriction code (ADR) EAC code : 3YE

## - Transport by sea

: 1 L Limited quantities (IMDG) Excepted quantities (IMDG) : E2 : P001 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP2 : F-E EmS-No. (Fire) : S-D EmS-No. (Spillage) Stowage category (IMDG)

Properties and observations (IMDG) : Colourless, volatile liquids. Explosive limits: 1.1% to 6.7% n-HEPTANE: flashpoint -4°C c.c. Immiscible with water. Irritating to skin, eyes and mucous membranes.

MFAG-No : 128

www.junyuanpetroleumgroup.com 01/02/2017 8/11

## Safety Data Sheet

### - Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity : 1L

(IATA)

PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L
ERG code (IATA) : 3H

## - Inland waterway transport

Classification code (ADN) : F1
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 1

#### - Rail transport

Classification code (RID) : F1
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container : T4

instructions (RID)

Portable tank and bulk container special : TP1

provisions (RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

n-HEPTANE 99% FOR SYNTHESIS is not on the REACH Candidate List n-HEPTANE 99% FOR SYNTHESIS is not on the REACH Annex XIV List

## 15.1.2. National regulations

www.junyuanpetroleumgroup.com 01/02/2017 9/11

## Safety Data Sheet

#### Germany

Reference to AwSV : Water hazard class (WGK) 2, Significantly hazardous to water (Classification

according to AwSV; ID No. 120)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### **Netherlands**

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen – Borstvoeding NIET-limitatieve lijst van voor de

voortplanting giftige stoffen -

Vruchtbaarheid

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

: The substance is not listed

: The substance is not listed

#### **Denmark**

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be

followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

### 15.2. Chemical safety assessment

No additional information available

### **SECTION 16: Other information**

## Full text of R-, H- and EUH-statements:

ruli lext of R-, n- and EUn-	-statements.
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H410	Very toxic to aquatic life with long lasting effects.
R11	Highly flammable
R38	Irritating to skin
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R67	Vapours may cause drowsiness and dizziness
F	Highly flammable
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

www.junyuanpetroleumgroup.com 01/02/2017 10/11

Safety Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

www.junyuanpetroleumgroup.com 01/02/2017 11/11